

Last Revised: 9-20-2021	Effective: 10-1-2021	Page: 1 of 2
-------------------------	----------------------	--------------

SL-21 replaces SL-15

APPLICABILITY

Applicable to municipal outdoor lighting service on public thoroughfares and in public parks. This schedule is not applicable to flood lighting of swimming pools, athletic fields, and other similar municipal projects.

CHARACTER OF SERVICE

Alternating current, 60 cycles, 115-volt multiple circuits.

EQUIPMENT AND SERVICE OPTIONS

Option 1: DSO shall own and operate luminaries hung from brackets on DSO’s existing structures with electric service from overhead conductors.

Option 2: DSO shall own and operate fixtures with LED or HPS lamps nominally rated at the wattage listed in this rate schedule, mounted on a properly sized wood pole and a 10’ arm, with a maximum of 250’ of secondary circuit and a pole mounted transformer, if required.

Option 3: DSO shall operate and maintain decorative fixtures owned by a city or developer, etc. The city or developer shall own and install fixtures and provide the initial connection to the secondary power supply provided by DSO. The city or developer shall maintain any parts inventory required, except for lamps and photocells. DSO shall provide replacement and maintenance of lamps and photocells.

RATE

EXISTING INSTALLATIONS ONLY	Option 1	Option 2	Option 3
Mercury Vapor (MV)			
175 W	\$10.85	NA	NA
250 W	\$14.70	NA	NA
400 W	\$22.40	NA	NA
High Pressure Sodium (HPS)			
100 W	\$10.85	\$15.05	\$10.85
150 W	\$12.25	\$16.45	\$12.25
200 W	\$14.70	\$18.90	\$14.70
250 W	\$15.05	\$19.25	\$15.05
400 W	\$22.40	\$26.60	\$22.40
1,000 W	\$53.20	\$57.40	\$53.20
Light Emitting Diode (LED)			
41 – 50 W	\$10.85	\$15.05	\$10.85
51 – 100 W	\$12.25	\$16.45	\$12.25
101 – 200 W	\$16.45	\$22.40	\$16.45
> 200 W	TBD	TBD	TBD

Last Revised: 9-20-2021	Effective: 10-1-2021	Page: 2 of 2
-------------------------	----------------------	--------------

MISCELLANEOUS	Option 1	Option 2	Option 3
Transformer	\$1.75	\$1.75	\$1.75
Additional Pole	\$4.20	\$4.20	\$4.20
Directional Light (< 200 W)	\$2.80	\$2.80	\$2.80
Directional Light (>= 200 W)	\$4.20	\$4.20	\$4.20

NEW INSTALLATIONS ONLY	Option 1	Option 2
Light Emitting Diode (LED)		
41 – 50 W	\$10.85	\$15.05
51 – 100 W	\$12.25	\$16.45
101 – 200 W	\$16.45	\$22.40
201 – 400 W	TBD	TBD
> 400 W	TBD	TBD

MAINTENANCE AND OWNERSHIP

DSO shall own and maintain the entire system and furnish lamp replacements, except as defined in Option 3 above.

HOURS OF SERVICE

Lamps shall burn every night from one-half hour after sunset until one-half hour before sunrise, being approximately 4,000 hours of service per year. Individual lights may be controlled by photo-electric cell causing actual start and stop times to vary with weather or other environmental conditions.

ADDITIONAL FACILITIES

If DSO is required to install additional equipment, such as poles or conductor, to properly place luminaries, then an additional charge of \$4.20 per pole shall be added to the monthly bill.

PAYMENT

Payment terms are specified in accordance with the Rules and Regulations of DSO.

Attested: David P. Mull

Date: 9/20/2021